

USER GUIDELINES TO ARCHIVE AND RETRIEVE UPCS DATABASE FILES

U.S. Department of Housing and Urban Development Office of Public and Indian Housing - Real Estate Assessment Center (PIH-REAC)

01/13/03

TABLE OF CONTENTS

UPCS DATABASE FILES ARCHIVING AND RETRIEVING	2	
Objectives	2	
Create an Archive Folder	3	
Archive the Existing Database File	5	
Download a Compressed File	- 10	
Install the Compressed File	-12	
Retrieve an Archived Database File	-15	
Summary	- 19	

UPCS DATABASE FILES ARCHIVING AND RETRIEVING

The purpose of this guide is to instruct UPCS users how to archive and retrieve UPCS database files. Archival activities will help users maintain records of their work and keep the size of their active database files small enough to improve software performance, especially in older computers.

OBJECTIVES

After completing this guide, you will be able to:


- Create and Archive folder
- Archive an active database file
- Download a clean database file from the HUD Website
- Install a clean database file
- Retrieve an archived file for further use or inspection

CREATE AN ARCHIVE FOLDER

Background Information:


The UPCS software stores all the inspection information in a file named Reac_dcd.mdb. This file is located in the *c*:\Program Files\Hudinsp\Data folder. The UPCS software does not offer the option to save individual inspections, and as the number of inspections in the file grows so does the size of the database file. This results in degraded software performance and the user has two recourses: Delete inspections that have already been uploaded and accepted or archive the database file for the record.

Since users have already been instructed on how to delete files through the Administration button, the guide will concentrate on the archival and retrieval process.




Action	Explanation
Create a new folder named Archive inside the Hudinsp folder.	Go to the <u>File-New-Folder</u> menu, create a new folder and name it <i>Archive</i>
	Exploring - Hudinsp File Edit View Go Favorites Iools Help Back Forward Up Cut Copy Paste Undo Delete Properties Views Address C:VProgram Files\Hudinsp Folders Dap Data Data File Folder
Open the Archive folder. It will be empty.	Exploring - Archive File Edit View Go Favorites Iools Help Back F. Copy Paste Undo Delete Properties Views Address C:\Program Files\Hudinsp\Archive Folders Fold
	C:\Program Files\Hudinsp\Archive folder. NOTE: Minimize the window by clicking on the button on the upper right hand corner, you are ready to proceed to the next step.

ARCHIVE THE EXISTING DATABASE FILE



Explanation Action Log onto the DCD software **HUD Physical Assessment Subsystem** Housing Inspection Log On Please enter your Inspector ID and password in the areas below and then press the Log On command button to continue. * Inspector ID H14767 * Password ****** E<u>×</u>it Help Process an Inspection View Inspector Information Enter your Inspector ID and your Password (remember that the password is case sensitive) and click on the Process an Inspection button. Inspection Number: 151530 Make note of the inspection numbers <u>P</u>roperty Information Building / Unit that you are about to archive. * Inspection # 100000 Inspection Date *Property ID 800010000 PIH Project # *Property Name 🖳 *Scattered Site 🗀 Expected Total Buildings




Record the inspection Ids for future use. Then press the Exit button to close the UPCS software.

Action Explanation

Archive the database file that contains the inspection information.


Maximize the Window from Section 1 and open up the C:\Program Files\Hudinsp\Data folder.

You will see two files: Reac_DCD.mdb and Reac_pwe. mdb



The Reac_DCD.mdb contains all the inspection information for inspections 100000 and 200000.

Rename the Reac_DCD.mdb file. In our example we will rename it 01-13-2003Reac_DCD.mdb



Note: It is useful to add characters to the basic file name when you rename it, then it will be easy to change it back to its original name if the need arises. This is especially critical when you do not have a physical keyboard and would have a hard time finding the underscore "_" character in the virtual keyboard on the screen.


Action Explanation Archive the database file that contains Cut the 01-13-03Reac dcd.mdb from the the inspection information. (Cont.) C:\Program Files\Hudinsp\Data folder and paste it inside the C:\Program\Files\Archive folder. 🙉 Exploring - Data $\underline{\mathsf{File}} \quad \underline{\mathsf{E}}\mathsf{dit} \quad \underline{\mathsf{V}}\mathsf{iew} \quad \underline{\mathsf{G}}\mathsf{o} \quad \mathsf{F}\underline{\mathsf{a}}\mathsf{vorites} \quad \underline{\mathsf{I}}\mathsf{ools} \quad \underline{\mathsf{H}}\mathsf{elp}$ ta Up Address C:\Program Files\Hudinsp\Data × Name directx B Documents To G Size Type 170KB Microsoft Acc easy CD Creator 🗓 🧰 eFax Messenger 🗐 HP CD-Writer HP RecordNow 🗎 🦲 Hudinsp -- Archive -- 🔄 Data 170KB (Disk free space: 7.43GB) 1 object(s) 🙉 Exploring - Archive $\underline{F} \text{ile} \quad \underline{E} \text{dit} \quad \underline{V} \text{iew} \quad \underline{G} \text{o} \quad F\underline{a} \text{vorites} \quad \underline{I} \text{ools} \quad \underline{H} \text{elp}$ t Up Address C:\Program Files\Hudinsp\Archive directx Documents To Gi × Name Size Type 6.242KB Microsoft Ac - 🦲 Easy CD Creator 🛨 🦲 eFax Messenger 🛭 HP CD-Writer ⊕ i HP RecordNow 🗏 🥘 Hudinsp - 🔄 Archive - 📋 Data 6.09MB (Disk free space: 7.44GB) 1 object(s) You have successfully archived the database file that contains inspections 100000 and 200000. Caution: Do not launch the UPCS software until you download and install a new database file in the C:\Program Files\Hudinsp\Data folder or you will get the following error message: REAC_DCD Couldn't find file 'C:\PROGRAM FILES\HUDINSP\DATA\REAC_DCD.MDB'.

Action	Explanation
Create a log file to keep track of the inspections that you have archived.	Open up any word processing or spreadsheet application and create a log file that contains the information that will help you keep track of the inspections you archive. Append more information to the file as you archive more inspections: Suggestion: At a bare minimum include the database file name and the inspection ids that make up the file. e.g.
	☐ Untitled - Notepad File Edit Search Help Send Database file name. Inspection ids. 01-13-2003Reac_dcd.mdb 100000 200000
	Save the file in the C:\Program Files\Hudinsp\Archive folder with an easily recognizable name such as Archive_log.

DOWNLOAD A COMPRESSED FILE

Background Information

The PIH-REAC Web Site at http://www.hud.gov/offices/reac/ provides a wealth of information and resources for both institutional HUD users and HUD's business partners. One of the Web Pages within the Physical Inspection Sub-System at PIH-REAC provides inspectors with the opportunity to download the components of the UPCS DCD 2.3 inspection software. We will step through the download of a compressed file that contains a blank database to be installed later.




Action Explanation Download the compressed file Place the mdb23.exe file in the (Cont.) C:\Program Files\Hudinsp\Archive for future use. ? × Save As 🔽 🗈 📺 📰 Archive Save in: mdb23.exe File name: <u>S</u>ave Save as type: All Files (*.*) Cancel 🔯 Exploring - Archive $\underline{\mathsf{File}} \quad \underline{\mathsf{E}}\mathsf{dit} \quad \underline{\mathsf{V}}\mathsf{iew} \quad \underline{\mathsf{G}}\mathsf{o} \quad \mathsf{F}\underline{\mathsf{a}}\mathsf{vorites} \quad \underline{\mathsf{T}}\mathsf{ools} \quad \underline{\mathsf{H}}\mathsf{elp}$ Views Address C:\Program Files\Hudinsp\Archive Easy CD Creator Findb23.exe 01-13-2003R 140KB Application 101-13-2003REAC_DCD.mdb 6,242KB Microsoft Access HP RecordNow 🚊 🦲 Hudinsp Archive i Help - Hudtemp HunjerCam... 140KB (Disk free space: 7.43GB) Note: The download process should only be needed the first time you want to install a blank database file, unless you receive notification from HUD that requires you to download a newer version of the compressed file from the Web page.


INSTALL THE COMPRESSED FILE


Background Information:

Once downloaded, the database file needs to be extracted from the compressed file and installed in the C:\Program Files\Hudinsp\Data folder.

WARNING!!: DO NOT INSTALL THE BLANK DATABASE FILE UNTIL YOU HAVE ALREADY ARCHIVED THE EXISTING DATABASE FILE OR YOU WILL LOSE <u>ALL</u> THE INSPECTIONS CURRENTLY SHOWN ON THE UPCS DCD 2.3 SOFTWARE.









RETRIEVE AN ARCHIVED DATABASE FILE

Background Information:

Sometime a user will need to "bring back" an archived inspection for review in the UPCS DCD 2.3 software. The procedure for archiving the current file will be the same as before. However, instead of installing a blank database file, the user will move the archived file from the C:\Program Files\Hudinsp\Archive folder to the C:\Program Files\Hudinsp\Data folder, rename the file Reac_dcd.mdb and start the UPCS DCD 2.3 software to review the old inspections.



Explanation Action Archive the database file that Rename the Reac_dcd.mdb file. In our example we will rename it 01-14-2003Reac_dcd.mdb. contains the inspection information. (Cont.) 🔯 Exploring - Data $\underline{\underline{F}} \text{ile} \quad \underline{\underline{F}} \text{dit} \quad \underline{\underline{V}} \text{iew} \quad \underline{\underline{G}} \text{o} \quad \underline{\underline{F}} \text{avorites} \quad \underline{\underline{I}} \text{ools} \quad \underline{\underline{H}} \text{elp}$ Address C:\Program Files\Hudinsp\Data × Name Size Type Easy CD Creator | 101-14-2003Reac_dcd.mdb | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 12 658KB Microsoft Acc 170KB Microsoft Acc 🛨 🦲 eFax Messenger 🗍 HP CD-Writer HP RecordNow Hudinsp - Archive - Data ig Help - Hudtemp HunjerCam 1 object(s) selected 658KB Cut the 01-14-2003Reac dcd.mdb from the C:\Program Files\Hudinsp\Data folder and paste it inside the C:\Program\Files\Archive folder. 🙉 Exploring - Data $\underline{\underline{F}} \text{ile} \quad \underline{\underline{F}} \text{dit} \quad \underline{\underline{V}} \text{iew} \quad \underline{\underline{G}} \text{o} \quad \underline{\underline{F}} \underline{\underline{a}} \text{vorites} \quad \underline{\underline{T}} \text{ools} \quad \underline{\underline{H}} \text{elp}$ \square Back Address C:\Program Files\Hudinsp\Data × Name Size Type Reac_pwe.mdb directx Documents To G - 🛅 Easy CD Creator 🗓 🦲 eFax Messenger 🛭 HP CD-Writer HP RecordNow Hudinsp - <u>|</u> Archive - | Data Heln 170KB (Disk free space: 7.43GB) 1 object(s)



Explanation Action Retrieve the archived database folder Rename the 01-13-2003Reac dcd.mdb back to (Cont.) Reac dcd.mdb 🔯 Exploring - Data <u>File Edit View Go Favorites Tools Help</u> Up Undo Address 🔁 C:\Program Files\Hudinsp\Data Size Type Name REAC_DCD.mdb
Reac_pwe.mdb directx

Documents To G 6.242KB Microsoft A 170KB Microsoft Ad Easy CD Creator 🕳 🦲 eFax Messenger 🛭 # HP CD-Writer 🗓 🧰 HP RecordNow 🚊 📵 Hudinsp Archive 🛅 Data 2 object(s) 6.26MB (Disk free space: 7.43GB) Verify that inspections were retrieved. Launch the UPCS DCD 2.3 software to verify that inspections 100000 and 200000 have been retrieved Inspection Number: 151530 Building / Unit Check/Prepare/ Property * Inspection # 100000 Inspection Date *Property ID 800010000 PIH Project # *Property Name GLEN SHIRE NURSING&REHAB CTR *Scattered Site 🗀 Actual Sample Expected Total Buildings Total Units 0 113 0 Comments Current Property Inspections On File Inspection Num. Property Name GLENSHIRE NURSING&REHAB CTR 100000 WM DAWSON NSG HM 200000 Participants Edit Inspection A<u>d</u>ministration <u>H</u>elp E<u>×</u>it Address Info Certificates Area <u>M</u>easures

SUMMARY

In the preceding sections, we have discussed the Archival of database files, Download and installation of a blank database file, and retrieval of archived files.

The names of files and folders were for sample use only. Inspectors can use whatever naming conventions and folder locations to place the files.